

F.No.20-2/2018-FC-II  
Government of India  
Ministry of Consumer Affairs, Food and Public Distribution  
(Department of Food & Pubic Distribution)

Krishi Bhavan, New Delhi  
Dated 20.04.2018

To

The Executive Director (S&C),  
Food Corporation of India,  
16-20, Barakhamba Lane,  
New Delhi

**Subject:-** Clarification with respect to capacity approved for State of Meghalaya and Assam under PEG Scheme .

Sir,

I am directed to refer to FCI's letter no. E-Bh/(354)4-IV/Meghalaya2013/910 dated 27.02.22018 from DGM (S&C) and to say that this Department vide letter no 20.01.2009-FC-II dated 09.06.2016 (copy enclosed) approved the proposal for construction of godowns of 15,000 MT capacity in Meghalaya under PEG Scheme. However, a proposal of 40,000 MT or 27,500 MT for construction of godowns as mentioned in the above said letter was not approved by this Department as per record available.


2. It may also be noted that this Department vide its letter no 20.01/2009-FC-II dated 20.01.2017 approved the proposal for construction of godowns of 60,000 MT capacity in Assam under PEG Scheme, however, as per KPI dated 28.02.2018 sent vide email dated 06.04.2016 from GM (G&C), the approved capacity for State of Assam and Meghalaya is 110,000 MT and 40,000 MT respectively.

3. It is, therefore, requested to clarify the approved capacity with respect to State Government of Meghalaya and Assam under PEG Scheme at the earliest.

Yours faithfully,

ED (G) Cell  
Dairy No. 942  
Date. 20/04/2018

81  
7/5/18  
DGM S&C

  
(Pushpa Rani Gureja)  
Section Officer (Stg-III)  
Tel.No.23097005

Copy to :-

1. GM (S&C), FCI.
2. CGM (S&C), FCI.

GM (S&C)

No.20-01/2009-FC-II  
Government of India  
Ministry of Consumer Affairs, Food & Public Distribution  
Department of Food & Public Distribution  
\*\*\*\*\*

Krishi Bhawan, New Delhi

Dated : 9<sup>th</sup> June, 2016

To,  
The Chairman & Managing Director,  
Food Corporation of India,  
16-20, Barakhamba Lane,  
New Delhi


**Subject:** Minutes of 45<sup>th</sup> High Level Committee (HLC) meeting on Private  
Entrepreneurs Guarantee (PEG) Scheme- Construction of godowns in Assam  
and Meghalaya.

Sir,

I am directed to refer to your letters No. E.3(28)/08/HLC/Stg.IV/Vol.IV/212 dated 08.01.2016 and 28.03.2016 on the subject cited above and to convey the approval of this Department to the proposal for construction of godowns of 15,000 MT capacity in Meghalaya under PEG Scheme.

2. However, with regard to the proposal for construction of godowns of 1,72,000 MT capacity in Assam it is seen that there is no deficiency in storage capacity after taking into account the balance quantity available in Plan Scheme (except capacity for which land is not yet available) and the capacity of silo sanctioned for Changsari (Assam). Hence, capacity creation under PEG Scheme is not approved.

Yours faithfully,



(Sanjay Kumar)

Under Secretary of India

Tel No. 2338 4448

Copy to: GM (S&C), FCI, 16-20, Barakhamba Lane, New Delhi

15/06/16  
9/6



No.20-01/2009-FC-II  
Government of India  
Ministry of Consumer Affairs, Food & Public Distribution  
Department of Food & Public Distribution  
\*\*\*\*\*

Krishi Bhawan, New Delhi  
Dated : 20<sup>th</sup> January, 2017

To,  
The Chairman & Managing Director,  
Food Corporation of India,  
16-20, Barakhamba Lane,  
New Delhi


**Subject: Approval for the construction of godowns of 60,000 MT capacity in Assam under Private Entrepreneur Guarantee Scheme (PEG) as per the recommendations of High Level Committee (FCI) for PEG Scheme.**

Sir,

I am directed to refer to FCI's letter No.E.3(28)/PEG-08/HLC/Stg.IV/Vol.V/2016/588 dated 09.12.2016 on the subject cited above and to convey the approval of this Department to the proposal for construction of godowns of 60,000 MT capacity in Assam under PEG Scheme at the four locations recommended by HLC (PEG).

2. FCI is requested to forward the likely outcome on in the respective districts (increase in capacity in terms of monthly allocation for the district) after construction of these godowns.
3. Since there is no storage gap in Bongaigaon, it is also requested to confirm that the project for 35,000 MT under Plan Scheme in Bongaigaon may be treated as cancelled.

Yours faithfully,

  
(Sanjay Kumar)

Under Secretary to the Govt. of India  
Tel No. 2338 4448

Copy to:

- 1) GM (S&C), FCI, 16-20, Barakhamba Lane, New Delhi
- 2) GM (Engg.), FCI, 16-20, Barakhamba Lane, New Delhi

Issued